



HYDRAULIC ROCK BREAKER

V32



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 18 TO
30 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.



HYDRAULIC ROCK BREAKER

CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	1,217	2,683
+ MOUNTED TOOL	1,361.8	2,936
+ MOUNTED ADAPTER PLATE (MAX)	1,703	3,754

DIMENSIONS (MM/IN)

A	1,747	68.8
B	530	20.9
C	638	25.1
D	720	28.3
E	332	13
F	427	16.8
G	60	2.3


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	18 - 30
OIL FLOW (MIN-MAX, L/MIN / GPM)	120 - 170 31.7 - 45
OPERATING PRESSURE (BAR/PSI)	135 1,959
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	38.3
STRIKING FREQUENCY (BPM)	285 - 1,050
NOISE LEVEL /10M (DBA)	94
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
DUST SUPPRESSION KIT	10119868
ANTISEISMIC	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101187726
INTERMEDIATE	101187727
ADVANCED	101187728
DEDICATED TIE RODS KIT	101187729

TOOLS

DIAMETER (MM/IN)	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8	122 / 4.8
LENGTH (MM/IN)	1100 / 43.3	1300 / 51.2	1100 / 43.3	1300 / 51.2	1100 / 43.3	1300 / 51.2
WEIGHT (KG/LB)	94 / 207	109 / 240	91.2 / 201	110 / 243	96 / 212	114.8 / 253
PART NUMBER	86420783	86449360	86420791	86382082	86421955	86811452



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V47



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 27 TO
40 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	2,080	4,586
+ MOUNTED TOOL	2,273	5,011
+ MOUNTED ADAPTER PLATE (MAX)	2,745	6,061

DIMENSIONS (MM/IN)

A	2,075	81.7
B	715	28.1
C	700	27.5
D	803	31.6
E	450	17.7
F	590	23.3
G	60	2.3

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	27 - 40
OIL FLOW (MIN-MAX, L/MIN / GPM)	180 - 265 47.6 - 70
OPERATING PRESSURE (BAR/PSI)	165 2,393
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	72.9
STRIKING FREQUENCY (BPM)	345 - 1,160
NOISE LEVEL /10M (DBA)	96
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
TUNNELING KIT	upon request
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

DIAMETER (MM/IN)	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9
LENGTH (MM/IN)	1,350 / 53.14	1,500 / 59.05	1,350 / 53.14	1,500 / 59.05	1,350 / 53.14
WEIGHT (KG/LB)	170 / 375	191 / 421	172 / 379	193 / 425	180 / 387
PART NUMBER	86492246	86593522	86608130	86604931	86492253



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABL GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101189823
INTERMEDIATE	101189834
ADVANCED	101189835
DEDICATED TIE RODS KIT	101188049



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V57



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 35 TO
60 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	2,765	6,095.8
+ MOUNTED TOOL	3,079	6,788.1
+ MOUNTED ADAPTER PLATE (MAX)	3,593	7,921.2

DIMENSIONS (MM/IN)

A	2,277	89.6
B	932	36.7
C	500	19.7
D	640	25.2
E	69	2.7
F	3,209	126.3
G	720	28.3
H	880	34.7

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	35 - 60
OIL FLOW (MIN-MAX, L/MIN / GPM)	240 - 320 63.4 - 84.5
OPERATING PRESSURE (BAR/PSI)	165 2,393
BACK PRESSURE (BAR/PSI)	12 174
INPUT POWER (KW)	88
STRIKING FREQUENCY (BPM)	330 - 1,045
NOISE LEVEL /10M (DBA)	96
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
TUNNELING KIT	upon request
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

DIAMETER (MM/IN)	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69	170 / 6.69
LENGTH (MM/IN)	1,500 / 59.05	1,500 / 59.05	1,800 / 70.86	1,500 / 59.05	1,800 / 70.86	1,500 / 59.05
WEIGHT (KG/LB)	241 / 531	246 / 542	299 / 659	257 / 567	314 / 692	235 / 518
PART NUMBER	86624020	86612496	86640729	86624046	86669850	101029646



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101189841
INTERMEDIATE	101189842
ADVANCED	101189843
DEDICATED TIE RODS KIT	101188054



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER

V67



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 45 TO
80 TONS CARRIERS

AUTOMATIC ENERGY PER
BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.
- **TPS system:** improved tool lifespan



CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	4,532	9,991
+ MOUNTED TOOL	4,966	10,948
+ MOUNTED ADAPTER PLATE (MAX)	5,998	13,223

DIMENSIONS (MM/IN)

A	2,705	106
B	785	31
C	598	24
D	700	28
E	80	3
F	349	14
G	870	34
H	1,090	43

OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	50 - 85
OIL FLOW (MIN-MAX, L/MIN / GPM)	380 - 420 100.4 - 111
OPERATING PRESSURE (BAR/PSI)	165 2,394
BACK PRESSURE (BAR/PSI)	8 116
INPUT POWER (KW)	115.5
STRIKING FREQUENCY (BPM)	380 - 950
NOISE LEVEL /10M (DBA)	100
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
HOSES KIT HP/BP	standard
BUCKET CYLINDER VALVE	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard


OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
DUST SUPPRESSION KIT	upon request
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request

TOOLS

DIAMETER (MM/IN)	202 / 7.95	202 / 7.95	202 / 7.95	202 / 7.95	202 / 7.95
LENGTH (MM/IN)	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86	1,800 / 70.86
WEIGHT (KG/LB)	410 / 904	404 / 891	417 / 919	410 / 904	434 / 957
PART NUMBER	86624061	86624087	86611845	86750403	86624079



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101188080
INTERMEDIATE	101188081
ADVANCED	101188082
DEDICATED TIE RODS KIT	101188079



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com





HYDRAULIC ROCK BREAKER
V7000



CUTTING-EDGE
TECHNOLOGY
RUTHLESS FOR ROCKS

DESIGNED FOR 70 TO
120 TONS CARRIERS

AUTOMATIC ENERGY PER BLOW ADJUSTMENT

AUTONOMOUS WORKING
PRESSURE CONTROL

DUAL LUBRICATION SYSTEM

4.0 BREAKER

BENEFITS

- **Hydraulic accumulator:** no more regular nitrogen controls and recharges on jobsites.
- **Made in France:** superior quality steel and manufacturing excellence.
- **Operator friendly:** blank firing protection, automatic lubrication, energy recovery system, easy maintenance.
- **Carrier friendly:** anti-vibration dampeners, pressure spikes removal.



HYDRAULIC ROCK BREAKER

CUTTING-EDGE TECHNOLOGY RUTHLESS FOR ROCKS

WEIGHT & DIMENSIONS

WEIGHT (KG/LB)

BREAKER	5,859	12,917
+ MOUNTED TOOL	6,422.4	14,159
+ MOUNTED ADAPTER PLATE (MAX)	7,599	16,753

DIMENSIONS (MM/IN)

A	3,043	119.8
B	700	27.5
C	800	31.5
D	630	24.8
E	125	4.9


OPERATING INFORMATION

CARRIER WEIGHT RANGE (MIN-MAX, MT)	70 - 120
OIL FLOW (MIN-MAX, L/MIN / GPM)	400 - 550 106 - 146
OPERATING PRESSURE (BAR/PSI)	180 2,610
BACK PRESSURE (BAR/PSI)	15 217
INPUT POWER (KW)	165
STRIKING FREQUENCY (BPM)	290 - 590
NOISE LEVEL /10M (DBA)	95
AUTOMATIC LUBRICATION	standard
SOUNDPROOFING	standard
BUCKET CYLINDER VALVE	standard
PRESSURIZATION	preinstalled
OMNI-M MONITORING SYSTEM	standard

OPTIONS

PART NUMBER

PRESSURIZATION KIT	86372505
ADAPTER PLATE	upon request
SPECIAL PAINTING	upon request



CONSUMABLES

PART NUMBER

GREASE CARTRIDGES (X20)	86784758
ABL2 GREASE BUCKET (18 KG)	101095009
ABLF GREASE BUCKET (18 KG)	101095008

MAINTENANCE KITS

PART NUMBER

BASIC	101187653
INTERMEDIATE	101187664
ADVANCED	101187665
DEDICATED TIE RODS KIT	101187666

TOOLS

DIAMETER (MM/IN)	214 / 8.43	214 / 8.43	214 / 8.43	214 / 8.43
LENGTH (MM/IN)	2,025 / 79.70	2,025 / 79.70	2,025 / 79.70	2,025 / 79.70
WEIGHT (KG/LB)	533 / 1,175	534.3 / 1,178	535.3 / 1,180	563.4 / 1,242
PART NUMBER	86804804	86799855	86799863	86804176



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com - montabertusa.com

