







		SD6	SD8	SD12	SD16
CARRIER WEIGHT (MIN-MAX)	Ī	0.7 - 1,2	1-1.7 t	1.2 - 2.2	1.5 - 3.7
OPERATING WEIGHT (WITHOUT ADAPTER PLATE)	KG	58.7	76.4	97	131
	LB	128	168	214	288
OIL FLOW RANGE (MIN-MAX)	L/MIN	12 - 23	15 - 30	17 - 35	25 - 50
	GPM	3.2 - 6	4 - 8	4.5 - 9	6.6 - 13
STRIKING FREQUENCY (MIN-MAX)	ВРМ	725 - 1,460	800 - 1,600	825 - 1,700	770 - 1,550
MAXIMUM Working Pressure	BAR	110	120	120	120
TOOL DIAMETER	MM	37	45	47	55
	IN	1.45	1.77	1.85	2.16
		SD22	SD28	SD36	SD42
CARRIER WEIGHT (MIN-MAX)	ī	SD22 2.2 - 5.3	SD28 3 - 7.5	SD36 4 - 10	SD42 5 - 12
(MIN-MAX) OPERATING WEIGHT	T KG				
(MIN-MAX)	·	2.2 - 5.3	3 - 7.5	4 - 10	5 - 12
(MIN-MAX) OPERATING WEIGHT (WITHOUT ADAPTER	KG	2.2 - 5.3	3 - 7.5	4 - 10	5 - 12
(MIN-MAX) OPERATING WEIGHT (WITHOUT ADAPTER PLATE)	KG LB	2.2 - 5.3 200 440	3 - 7.5 231.1 511	4 - 10 304 671	5 - 12 364.7 804
(MIN-MAX) OPERATING WEIGHT (WITHOUT ADAPTER PLATE) OIL FLOW RANGE	KG LB L/MIN	2.2 - 5.3 200 440 30 - 65	3 - 7.5 231.1 511 40 - 75	4 - 10 304 671 55 - 100	5 - 12 364.7 804 70 - 120
(MIN-MAX) OPERATING WEIGHT (WITHOUT ADAPTER PLATE) OIL FLOW RANGE (MIN-MAX) STRIKING FREQUENCY	LB L/MIN GPM	2.2 - 5.3 200 440 30 - 65 8 - 17.2	3 - 7.5 231.1 511 40 - 75 10.5 - 20	4 - 10 304 671 55 - 100 14.5 - 26.5	5 - 12 364.7 804 70 - 120 18.5 - 32
(MIN-MAX) OPERATING WEIGHT (WITHOUT ADAPTER PLATE) OIL FLOW RANGE (MIN-MAX) STRIKING FREQUENCY (MIN-MAX) MAXIMUM	L/MIN GPM BPM	2.2 - 5.3 200 440 30 - 65 8 - 17.2 600 - 1,360	3 - 7.5 231.1 511 40 - 75 10.5 - 20 630 - 1,420	4 - 10 304 671 55 - 100 14.5 - 26.5 700 - 1,540	5 - 12 364.7 804 70 - 120 18.5 - 32 700 - 1,440



58.7 kg / 128 lb Operating Weight 12 - 23 l/min / 3.2 - 6 GPM Oil Flow





76.4 kg / 168 lb Operating Weight 15 - 30 l/min / 4 - 8 GPM Oil Flow



SD28 3 - 7.5 t Carriers



1.2 - 2.2 t Carriers 97 kg / 214 lb Operating Weight 17 - 35 l/min / 4.5 - 9 GPM Oil Flow



1.5 - 3.7 t Carriers 131 kg / 288 lb Operating Weight 25 - 50 l/min / 6.6 - 13 GPM Oil Flow



4 - 10 t Carriers





MONTABERT, ENGINEERING & INNOVATION SINCE 1921









The use of innovative high performance technology in product design and manufacturing makes Montabert products the most efficient and reliable choice for customers around the globe. Since 1921, Montabert products have been produced in France with a commitment to designing methods and solutions focused on productivity, reliability and safety. A continuous investment in research and development has resulted in the delivery of technology products that will revolutionize the market. For almost 100 years, Montabert products have led the industry with three to five patents a year. With a network of 150 dealers around the world, you will always find a Montabert certified partner close to you to provide the best service and solutions.

The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and thebrochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2021 Montabert. All rights reserved.



www.montabert.com