



MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 600 M



BENEFITS

DESIGNED FOR 10
TO 17 TONS CARRIERS
—
ALL KIND OF
MATERIALS PROCESSING
—
RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 600 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	1,070	2,359
CLOSING FORCE (MIN - MAX, T)	53 - 150	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	100 - 200	26.4 - 52.8
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	350	5,075
ROTATION FLOW (MAX, L/MIN - GPM)	25	6.6
ROTATION PRESSURE (MAX, BAR - PSI)	140	2,030

CARRIER SPECS


WEIGHT (MIN - MAX, T)	10 - 17
-----------------------	---------

DIMENSIONS (MM - IN)

A	1,648	64.8
B	972	38.2
C	517	20.3
D	495	19.4
E	615	24.2
JAW WIDTH	404	15.9
JAW DEPTH	450	17.7

CONSUMABLES

CONSUMABLES	PRODUCT NUMBER
SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com





MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 650 M



BENEFITS

DESIGNED FOR 15
TO 25 TONS CARRIERS

ALL KIND OF
MATERIALS PROCESSING

RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 650 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	1,577	3,477
CLOSING FORCE (MIN - MAX, T)	80 - 270	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	130 - 250	34.3 - 66
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	350	5,075
ROTATION FLOW (MAX, L/MIN - GPM)	45	11.9
ROTATION PRESSURE (MAX, BAR - PSI)	90	1,305

CARRIER SPECS

WEIGHT (MIN - MAX, T)	15 - 25
-----------------------	---------


DIMENSIONS (MM - IN)

A	1,845	72.6
B	1,077	42.4
C	590	23.2
D	530	20.8
E	660	25.9
JAW WIDTH	443	17.4
JAW DEPTH	510	20

CONSUMABLES

PRODUCT NUMBER

SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com





MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 700 M



BENEFITS

DESIGNED FOR 20
TO 30 TONS CARRIERS

ALL KIND OF
MATERIALS PROCESSING

RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 700 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	2,070	4,564
CLOSING FORCE (MIN - MAX, T)	80 - 270	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	130 - 250	34.3 - 66
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	380	5,510
ROTATION FLOW (MAX, L/MIN - GPM)	45	11.9
ROTATION PRESSURE (MAX, BAR - PSI)	90	1,305

CARRIER SPECS

WEIGHT (MIN - MAX, T)	20 - 30
-----------------------	---------


DIMENSIONS (MM - IN)

A	2,100	82.6
B	1,224	48.1
C	650	25.5
D	635	25
E	730	28.7
JAW WIDTH	509	20
JAW DEPTH	575	22.6

CONSUMABLES

PRODUCT NUMBER

SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com





MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 750 M



BENEFITS

DESIGNED FOR 25
TO 40 TONS CARRIERS

ALL KIND OF
MATERIALS PROCESSING

RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 750 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	2,790	6,151
CLOSING FORCE (MIN - MAX, T)	90 - 350	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	200 - 300	52.8 - 79.2
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	380	5,510
ROTATION FLOW (MAX, L/MIN - GPM)	45	11.9
ROTATION PRESSURE (MAX, BAR - PSI)	90	1,305

CARRIER SPECS

WEIGHT (MIN - MAX, T)	25 - 40
-----------------------	---------


DIMENSIONS (MM - IN)

A	2,275	89.5
B	1,340	52.7
C	720	28.3
D	676	26.6
E	767	30.1
JAW WIDTH	593	23.3
JAW DEPTH	625	24.6

CONSUMABLES

PRODUCT NUMBER

SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com





MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 800 M



BENEFITS

DESIGNED FOR 30
TO 47 TONS CARRIERS
—
ALL KIND OF
MATERIALS PROCESSING
—
RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 800 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	3,370	7,430
CLOSING FORCE (MIN - MAX, T)	105 - 370	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	220 - 330	58.1 - 87.1
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	380	5,510
ROTATION FLOW (MAX, L/MIN - GPM)	45	11.9
ROTATION PRESSURE (MAX, BAR - PSI)	110	1,595

CARRIER SPECS

WEIGHT (MIN - MAX, T)	30 - 47
-----------------------	---------


DIMENSIONS (MM - IN)

A	2,490	98
B	1,455	57.2
C	770	30.3
D	740	29.1
E	865	34
JAW WIDTH	605	23.8
JAW DEPTH	700	27.5

CONSUMABLES

PRODUCT NUMBER

SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com





MULTIPROCESSOR - MULTIFUNCTION JAW

HCM 900 M



BENEFITS

DESIGNED FOR 40
TO 65 TONS CARRIERS
—
ALL KIND OF
MATERIALS PROCESSING
—
RECYCLING,
CONCRETE PROCESSING,
INFRASTRUCTURE DEMOLITION

- **Standard 360° continuous rotation:** full maneuverability to reach optimal and accurate positioning on all jobsites.
- **Strong and fast:** two protected, inverted cylinders with rod feed for constant, symmetrical crushing force.
- **Perfect cutting:** jaws designed to shear scrap laterally and longitudinally, plus front teeth for crushing.
- **Maximum crushing:** rubble can be transferred as is to a mobile crusher for concrete/steel separation and recycling.
- **Easy maintenance and low downtime:** blades and teeth made of high-strength hardened steel, durable, replaceable and/or reversible on site.

MULTIPROCESSOR - MULTIFUNCTION JAW SET YOUR TEETH

HCM 900 M

ATTACHMENT SPECS

WEIGHT - WITHOUT ADAPTER PLATE (KG - LB)	4,370	9,634
CLOSING FORCE (MIN - MAX, T)	125 - 400	

HYDRAULIC SPECS

OIL FLOW (MIN - MAX, L/MIN - GPM)	300 - 400	79.2 - 105.6
OPENING & CLOSING PRESSURE (MAX, BAR - PSI)	380	5,510
ROTATION FLOW (MAX, L/MIN - GPM)	45	11.9
ROTATION PRESSURE (MAX, BAR - PSI)	110	1,595

CARRIER SPECS

WEIGHT (MIN - MAX, T)	40 - 65
-----------------------	---------


DIMENSIONS (MM - IN)

A	2,579	101.5
B	1,528	60.1
C	830	32.6
D	812	31.9
E	948	37.3
JAW WIDTH	687	27
JAW DEPTH	827	32.5

CONSUMABLES

PRODUCT NUMBER

SPARE BLADES	contact us
SPARE TEETH	contact us
BASIC MAINTENANCE KIT	contact us
ADVANCED MAINTENANCE KIT	contact us



The content of this brochure constitutes non-binding information and may be changed at any time without notice. Montabert gives, and the brochure contains, no warranties whatsoever, express or implied. All the contents, including but not limited to text, images, graphics are all subject to copyright and all intellectual property protection. Their use or misuse is strictly prohibited. Montabert brand and logo used herein are the property of Montabert. Nothing contained on this document shall be construed as constituting any commitment by Montabert or as granting any license or right to use any intellectual property. ©2024 Montabert. All rights reserved.

montabert.com
montabertusa.com

